

bluecool  
● ● ● WATER DISPENSERS

b4



## A design for flexibility

The range was created with an innate flexibility allowing it to flourish in all given environments – from boardroom to sports hall. Its compact size, large dispense and flexible water options position it as the premium solution.



---

### Power requirements

Hertz 50/Volts 220-240

### Max power consumption

Chilled & Ambient 100W

Chilled & Hot 600W

Chilled & Sparkling 150W

Chilled, Hot & Sparkling 650W

---

### Chilled temperature

Min 2°C/Max 11°C

### Hot temperature

Max 92°C

### Throughput litres per hour

Chilled 22/Hot 6

---

### Dimensions

Floorstanding 320x470x1325mm

Countertop 320x470x415mm

Internal 280x330x830mm

Dispense height 255mm

### Key Features

- Touch panel button controls
- Integrated cup dispenser (Floorstanding option only)
- High capacity, auto-lit dispense area
- Premium POU dispenser
- Floorstanding or countertop
- Chilled, ambient, hot and sparkling


### Available accessories

- Sparkling Refill (CO<sub>2</sub> E290)
- CO<sub>2</sub> Regulator with Gauge
- Sanitisation Kit
- Install Kit with Filter
- Waste Kit with Level Sensor (Floorstanding option only)
- Blue Tint Cups




---


## Water options




Chilled



Ambient




Hot




Sparkling

---

## Configuration




Countertop



Floorstanding

---


## Recommended environment




Offices




Hospitality



Healthcare




Education




Leisure

---


## Number of users



6–10



11–25



25+

---

## b4 Models

Direct Chill, Countertop, Chilled, Ambient— 103210

Direct Chill, Countertop, Chilled, Hot— 103215


Direct Chill, Countertop, Chilled, Sparkling— 103310

Direct Chill, Countertop, Chilled, Hot, Sparkling— 103410

Base Cabinet— 103910

---

## Water system



Direct Chill

Direct Chill system utilises innovative technology to chill water instantly. We recommend this system for more demanding environments because of its optimum dispense performance and unrivalled hygienic qualities. Superior to the gravity fed Reservoir system, Direct Chill technology chills water on demand for the ultimate drinking experience.

Phone

+353 (42) 935 2737

Email

info@bluecoolwater.ie

www.bluecoolwater.ie

Distributed by

Ref: 838104

Version: 13012015